

ТРОЙНИК К ТИП 1

Диаметр d1, мм	Диаметр d2, мм	Длина L, мм	Высота Н, мм	Площадь, м ²	Вес, кг
100	100	140	80	0.10	0.5
125	100	140	93	0.11	0.5
	125	170	93	0.13	0.6
160	100	140	ПО	0.14	0.7
	125	170	ПО	0.16	0.7
	160	210	ПО	0.19	0.9
200	100	150	130	0.17	0.8
	125	180	130	0.19	0.9
	160	220	130	0.22	1.0
	200	250	130	0.25	1.1
250	100	150	155	0.21	1.0
	125	180	155	0.23	1.0
	160	220	155	0.27	1.2
	200	250	155	0.30	1.3
	250	300	165	0.36	1.6
280	100	150	170	0.23	1.0
	125	180	170	0.26	1.2
	160	210	170	0.29	1.3
	200	250	170	0.33	1.5
	250	300	180	0.39	1.7
	280	340	180	0.43	1.9
315	100	160	187	0.26	1.2
	125	180	187	0.29	1.3
	160	220	187	0.33	1.5
	200	260	187	0.38	1.7
	250	310	197	0.44	1.9
	280	340	197	0.47	2.1
	315	375	197	0.52	2.3
355	100	160	207	0.29	1.6
	125	180	207	0.32	1.8
	160	220	207	0.37	2.1
	200	260	207	0.42	2.4
	250	310	217	0.48	2.7
	280	340	217	0.52	2.9
	315	375	217	0.57	3.2
	355	415	217	0.62	3.5

ТРОЙНИК К ТИП 1

Диаметр d1, мм	Диаметр d2, мм	Длина L, мм	Высота H, мм	Площадь, м²	Вес, кг
400	100	160	230	0.33	1.9
	125	180	230	0.35	2.0
	160	220	230	0.41	2.3
	200	260	230	0.46	2.6
	250	310	240	0.54	3.0
	280	340	240	0.58	3.2
	315	375	240	0.63	3.5
	355	415	240	0.68	3.8
	400	460	240	0.75	4.2
	450	100	160	255	0.36
125		180	255	0.39	2.2
160		220	255	0.46	2.6
200		260	255	0.52	2.9
250		310	265	0.60	3.3
280		340	265	0.64	3.6
315		375	265	0.64	3.8
355		415	265	0.75	4.2
400		460	265	0.75	4.2
450		510	265	0.90	5.0
500	100	170	280	0.42	2.4
	125	190	280	0.45	2.5
	160	230	280	0.52	2.9
	200	270	280	0.58	3.2
	250	320	290	0.67	3.7
	280	350	290	0.72	4.0
	315	385	290	0.78	4.3
	355	425	290	0.84	4.7
	400	470	290	0.91	5.0
	450	520	290	1.00	5.5
560	100	170	310	0.46	2.6
	125	190	310	0.50	2.8
	160	230	310	0.58	3.2
	200	270	310	0.65	3.6
	250	320	320	0.75	4.2
	280	350	320	0.80	4.4
	315	385	320	0.86	4.8
	355	425	320	0.93	5.2
	400	470	320	1.00	5.5
	450	520	320	1.10	6.1
	500	570	320	1.20	6.6
	560	620	320	1.30	7.2

ТРОЙНИК К ТИП 1

Диаметр d1, мм	Диаметр d2, мм	Длина L, мм	Высота H, мм	Площадь, м ²	Вес, кг
630	100	170	345	0.52	2.9
	125	190	345	0.56	3.1
	160	230	345	0.64	3.6
	200	270	345	0.73	4.1
	250	320	355	0.83	4.6
	250	350	355	0.89	4.9
	315	385	355	0.96	5.3
	355	425	355	1.10	6.1
	400	470	355	1.13	6.3
	450	520	355	1.23	6.8
	500	570	355	1.32	7.3
	560	620	355	1.42	7.9
	630	700	360	1.60	8.8
710	100	180	395	0.65	3.6
	125	200	395	0.70	3.9
	160	240	395	0.79	4.4
	200	280	395	0.89	4.9
	250	330	395	1.00	5.5
	280	360	400	1.10	6.1
	315	400	400	1.20	6.6
	355	440	400	1.30	7.2
	400	480	400	1.40	7.7
	450	530	400	1.50	8.3
	500	580	400	1.60	8.8
	560	630	400	1.70	9.4
630	710	410	1.85	10.2	
710	790	410	2.10	11.6	
800	100	180	440	0.80	4.4
	125	200	440	0.85	4.7
	160	240	440	0.95	5.3
	200	280	440	1.10	6.1
	250	330	450	1.20	6.6
	280	360	450	1.30	7.2
	315	400	450	1.40	7.7
	355	440	450	1.50	8.3
	400	480	450	1.60	8.8
	450	530	450	1.70	9.4
	500	580	450	1.82	10.1
	560	630	450	1.94	10.7
	630	710	450	2.13	11.8
	710	790	450	2.32	12.8
800	880	450	2.60	14.3	

ТРОЙНИК К ТИП 1

Диаметр d1, мм	Диаметр d2, мм	Длина L, мм	Высота Н, мм	Площадь, м ²	Вес, кг
900	100	180	490	0.88	7.0
	125	200	490	0.94	7.4
	160	240	490	1.07	8.4
	200	280	490	1.20	9.5
	250	330	500	1.35	10.6
	280	360	500	1.42	11.2
	315	400	500	1.60	12.6
	355	440	500	1.65	13.0
	400	480	500	1.77	13.9
	450	530	500	1.90	15.0
	500	580	500	2.03	16.0
	560	630	500	2.17	17.1
	630	710	500	2.40	18.9
	710	790	510	2.62	20.6
	800	880	510	2.88	22.7
900	980	510	3.17	24.9	
1000	100	180	540	0.97	7.7
	125	200	540	1.03	8.1
	160	240	540	1.16	9.2
	200	280	540	1.30	10.3
	250	330	550	1.50	11.8
	280	360	550	1.57	12.4
	315	400	550	1.68	13.2
	355	440	550	1.80	14.2
	400	480	550	1.92	15.1
	450	530	550	2.10	16.5
	500	580	550	2.22	17.5
	560	630	550	2.37	18.6
	630	710	550	2.61	20.5
	710	790	560	2.86	22.5
	800	880	560	3.13	24.6
900	980	560	3.43	27.0	
1000	1080	560	3.81	30.0	

ТРОЙНИК К ТИП 1

Диаметр d1, мм	Диаметр d2, мм	Длина L, мм	Высота Н, мм	Площадь, м ²	Вес, кг
1120	100	180	600	1.10	8.7
	125	200	600	1.17	9.2
	160	240	600	1.30	10.3
	200	280	600	1.44	11.4
	250	330	610	1.63	12.8
	280	360	610	1.73	13.6
	315	400	610	1.87	14.7
	355	440	610	2.06	16.2
	400	480	610	2.20	17.3
	450	530	610	2.32	18.3
	500	580	610	2.50	19.7
	560	630	610	2.65	20.9
	630	710	610	2.91	22.9
	710	790	620	3.19	25.1
	800	880	620	3.50	27.5
	900	980	620	3.81	30.0
1000	1080	620	4.20	33.0	
1120	1200	620	4.60	36.2	
1250	100	180	665	1.20	9.5
	125	200	665	1.29	10.2
	160	240	665	1.45	11.4
	200	280	665	1.61	12.7
	250	330	675	1.81	14.3
	280	360	675	1.93	15.2
	315	400	675	2.10	16.5
	355	440	675	2.25	17.7
	400	480	675	2.40	18.9
	450	530	675	2.58	20.3
	500	580	675	2.76	21.7
	560	630	675	2.94	23.1
	630	710	675	3.24	25.5
	710	790	685	3.55	27.9
	800	880	685	3.88	30.5
	900	980	685	4.24	33.3
1000	1080	685	4.60	36.2	
1120	1200	685	5.25	41.3	
1250	1330	685	5.53	50.5	